



# Supporting employees with addiction

Bupa. Better for business

Workplace

Health and Wellbeing **Academy**

---

# Introduction

**Addiction is when we don't have control over doing, taking, or using something. Addiction often involves a substance like alcohol, nicotine, or drugs. But it's possible to become addicted to things like gambling or gaming. Addiction is not only harmful to the person experiencing it, but also other people around them.**

In this guide, we discuss different types of addiction, and how managers can support employees who may be struggling with addiction.



Click the home icon at any point in this guide to return to this page.



How addiction starts

Types of addiction

Signs of addiction

Supporting your employees



## How addiction starts

Addictions usually start out as an enjoyable habit – like smoking or drinking with friends, a gamble at the races, or taking drugs to relax. But if you're no longer in control of your habit, or it's harmful, then it becomes an addiction.

Drugs, alcohol, and nicotine affect the way you feel. They can make you feel relaxed and less self-conscious. This can give you the urge to use or take the substance again to try and recreate these feelings.

Taking certain drugs and gambling can create mental 'highs', which are usually followed by a strong urge to do it again. Once a habit develops, it can be very hard to stop. You may find you need more of something to get the same effect, whether that's gambling, alcohol, drugs, or nicotine.

If you're addicted to something, you often lose the ability to choose whether to stop or continue the behaviour. You may crave it, and not having it can cause withdrawal symptoms. These symptoms can be unpleasant, so you may think it's easier to continue the behaviour. It then becomes hard to break this cycle.



## Alcohol addiction

A lot of people drink alcohol on a regular basis and it's easy to buy. But alcohol is highly addictive and can cause many physical and mental health problems. It can also affect your relationships and work.

If you're dependent on alcohol, you'll crave it and can have a high tolerance for it. This means you might often have to drink a lot to feel drunk, and might not have a hangover the next day. You might also continue to drink even when you know it's damaging your health. In the UK, alcohol misuse is the biggest risk factor for death, ill health, and disability in people aged 15 to 49.




**Alcohol is highly addictive and can cause physical and mental health problems.**



## Smoking addiction

Cigarettes contain nicotine, which is extremely addictive. Nicotine triggers receptors (special cells that receive chemical messages) in the brain to release a 'happy hormone' called dopamine. Dopamine helps you to feel good, both physically and mentally. With continuous smoking, the brain starts to expect nicotine to get a dopamine rush.

To make matters harder, the more you smoke, the more nicotine receptors you grow. This means it can take more and more nicotine to give you the dopamine that your mind and body crave. You may start to get cravings and withdrawal symptoms if you reduce your nicotine intake.



**Nicotine triggers receptors in the brain to release a 'happy hormone' called dopamine.**



## Drug addiction

Both illegal and prescription drugs can be addictive. Your brain usually rewards healthy behaviours by releasing dopamine. This makes you feel pleasure so that you repeat those behaviours. Drugs take over this system by making you want to take more drugs to get a dopamine release. Regular use of powerful drugs, such as heroin and cocaine, often leads to addiction that can have a serious impact on your health and wellbeing. Certain prescription medications, such as some painkillers, can also be addictive, and it can become very hard to stop taking them.



**Certain prescription medications, like some painkillers, can be addictive.**

Alcohol addiction

Smoking addiction

Drug addiction

Gambling

Other addictions





## Gambling addiction

It's estimated that around 1 in every 100 people has a gambling disorder. Gambling can take different forms. Some people might gamble through the lottery or online casino games. But problems can also start from gambling through investments, trading, and spending money in online games. Gambling can become an addiction as it can affect the part of our brain that releases dopamine. You may find that other activities are not as enjoyable, so you gamble more to get that feeling of pleasure from winning. Gambling can result in serious debt and financial problems.



**1 in every 100  
people has  
a gambling  
disorder.**

Alcohol  
addiction

Smoking  
addiction

Drug  
addiction

Gambling

Other  
addictions





## Other behavioural addictions

Like gambling, there are other addictions that don't involve use of a substance. This includes addiction to the internet, video games, sports, sex, eating disorders, and criminal behaviour. Some people can even have a work addiction. These types of addictions are often referred to as behavioural addictions.

These types of activities can provide relief from stress or provide pleasure in the way that drugs and alcohol do. And they involve a loss of control and withdrawal symptoms when not engaging in the activity. Many of these behaviours are common activities, such as using the internet. But they can still be harmful if excessive, especially if it distracts people from their school, work, family, or social life.



**Other addictions can be to the internet, video games, sports, sex, eating disorders and criminal behaviour.**

Alcohol  
addiction

Smoking  
addiction

Drug  
addiction

Gambling

Other  
addictions







## Signs of addiction

If someone in your team is misusing drugs or alcohol, you may notice symptoms of this such as:

- frequent absence from work
- decline in performance or productivity
- accidents or near misses
- changes in behaviour

Employees with behavioural addictions may also have similar symptoms as those with substance addictions. They may be restless or irritable when they're unable to engage in the activity they're addicted to.

Substance use can lead to health complications such as:

- stroke
- seizures
- memory loss
- muscle breakdown
- liver failure

Globally, around 150,000 people die from drug overdose each year. In 2021, there were 4,859 deaths related to drug poisoning in England and Wales.

Using drugs can also lead to long-term mental health problems. For example, cannabis increases the risk of anxiety and depression. Stimulant drugs such as cocaine can make people feel depressed, paranoid, or anxious.



**Using drugs can lead to long-term mental health problems.**



## How to support employees who are experiencing addiction

Employers have a legal responsibility to protect employee's health, safety, and wellbeing. Your business might benefit from implementing a policy on alcohol and drug misuse, if one isn't already in place.

The policy should aim to help and support employees affected by substance addiction, rather than dismissing them. The policy should also include disciplinary action where necessary such as in cases of drug possession at work.

As a manager you're required to provide employees time off to seek help for their addiction if they need it. The cost of recruiting a new employee may be more costly to your business than providing time off, so you may wish to consider this.

Remember to be understanding of what your team member is going through.

Consider what things might have led to substance abuse, such as a difficult situation they've faced, or they may have a family history of addiction. People with addiction can face stigma or negative attitudes even though their addiction is something they can't control. That can make it harder for them to seek treatment or tell people about their addiction.

If your employee approaches you to let you know they are experiencing addiction, thank them for telling you. It's then important to take steps to provide support and get them the help they need. You should encourage employees with addiction to talk to a GP so that they can seek treatment. Or you could point them towards your organisation's occupational health service or employee assistance programme if you have one.

If you think an employee is experiencing addiction, you may wish to raise it with them in a private discussion. Below are some tips to remember.

- **Let them know that the discussion is confidential**, but some information sharing may be necessary.
- **Use open and non-judgemental questions** such as “You seem very tired recently, how are you feeling?”
- **Try not to make assumptions**, as there may be other reasons why their behaviour has changed that are unrelated to addiction.
- **Provide specific examples of behaviour at work that has caused concern** such as unkempt dress, punctuality, or a change in attitude.
- **Make sure they don't feel pressured or judged.** Avoid outwardly using the terms ‘addiction’ or ‘addict’. Instead, try saying ‘excessive use’ or ‘frequent use’ when talking about substance misuse.



If they disclose that they're dealing with addiction, let them know about the support available to them.

If they deny there's an issue or aren't willing to discuss this with you, then respect this and bring the conversation to a conclusion. It might be helpful to stay aware of their behaviour for a period of time in case the problems do not improve. Try to ensure your employee doesn't become the subject of gossip or rumours at work.

# Organisations for people with addiction

Employees should be encouraged to speak to a GP if addiction is affecting their health. There are also many support charities and organisations they can go to for support. [Action on Addiction](#) is a great resource for anyone affected by addiction.

## Support for alcohol addiction

As well as those within the NHS, there are charitable alcohol support groups all over the country that you can join.

The best known is probably [Alcoholics Anonymous \(AA\)](#). But there are others, including one called [SMART Recovery](#). There are also groups, such as [Al-Anon Family Groups](#), which support the families of those with problem drinking.

## Support for smoking addiction

The Smokefree National Helpline has trained advisors that can offer advice and help.

**0300 123 1044**

(Monday to Friday 9am to 8pm, Saturday and Sunday 11am to 4pm)

**Local stop smoking services can be found by visiting:**

- [Better Health](#) (England)
- [Help Me Quit](#) (Wales)
- [Quit Your Way](#) (Scotland)
- [Stop Smoking](#) (Northern Ireland)

## Drug addiction

Employees can find support with drug addiction through their local [NHS drug and alcohol service](#), or one of the following drug support organisations.

- [DrugWise](#)
- [FRANK](#)
- [Cocaine Anonymous UK](#)

## Gambling addiction

Employees struggling with gambling addiction can seek support and advice from gambling support charity [GamCare](#).

# Find out more

## Resources

1. **Drugs and mental health.** Mental Health Foundation. mentalhealth.org.uk, last updated September 2020
2. **Kranzler HR, Li TK. What is addiction?** Alcohol Res Health. 2008
3. **Sussman S, Lisha N, Griffiths M. Prevalence of the addictions: a problem of the majority or the minority?.** Eval Health Prof. 2011
4. **Sussman S, Sussman AN. Considering the definition of addiction.** International Journal of Environmental Research and Public Health 2011
5. **Alcohol - problem drinking. What are the complications?** Clinical Knowledge Summaries. Cks.nice.org.uk. Last revised July 2023
6. **Alcohol and mental health.** Mental Health Foundation. mentalhealth.org.uk, last updated February 2022
7. **Alcohol – problem drinking. What is it? NICE Clinical Knowledge Summaries.** Cks.nice.org.uk. Last revised July 2023
8. **Alcohol statistics.** Alcohol Change UK. alcoholchange.org.uk, accessed August 2023
9. **Roh S. Scientific evidence for the addictiveness of tobacco and smoking cessation in tobacco litigation.** J Prev Med Public Heal 2018
10. **Benowitz NL. Nicotine addiction.** N Engl J Med. 2010 Jun 17
11. **Opioids Aware. Faculty of Pain Medicine of the Royal College of Anaesthetists.** Fpm.ac.uk, accessed June 2023
12. **Misuse of illicit drugs and medicines: applying All Our Health.** Office for Health Improvement & Disparities. gov.uk, last updated 23 February 2022
13. **Uhl GR, Koob GF, Cable J. The neurobiology of addiction.** Ann N Y Acad Sci. 2019 Sep
14. **Gambling disorder.** Royal College of Psychiatrists. rcppsych.ac.uk, published December 2021
15. **Alavi SS, Ferdosi M, Jannatifard F, et al. Behavioral Addiction versus Substance Addiction: Correspondence of Psychiatric and Psychological Views.** Int J Prev Med. 2012 Apr
16. **Atroszko PA, Demetrovics Z, Griffiths MD. Beyond the myths about work addiction: Toward a consensus on definition and trajectories for future studies on problematic overworking.** J Behav Addict. 2019 Mar
17. **Managing drug and alcohol misuse at work. Health and Safety Executive** hse.gov.uk, accessed August 2023
18. **Jahan AR, Burgess DM. Substance Use Disorder.** In: StatPearls. Treasure Island (FL): StatPearls Publishing; July 21, 2023
19. **Stop the deaths.** stopthedeaths.com, accessed August 2023
20. **Deaths related to drug poisoning in England and Wales: 2021 registrations.** Office for National Statistics. ons.gov.uk, published August 2022
21. **Managing drug and alcohol misuse at work – Develop a policy.** Health and Safety Executive hse.gov.uk, accessed August 2023
22. **Employee rights. Executive Rehab Guide.** executive-rehab-guide.co.uk, last updated March 2022
23. **Managing drug and alcohol misuse at work – Support employees with a drug or alcohol problem.** Health and Safety Executive hse.gov.uk, accessed August 2023
24. **An Independent Review into the impact on employment outcomes of drug or alcohol addiction, and obesity.** Department for Work and Pensions. gov.uk, published December 2016
25. **Stigma and Discrimination. National Institute on Drug Abuse.** nida.nih.gov, published June 2022
26. **Drug and alcohol misuse at work: Guidance for people professionals.** Chartered Institute of Personnel and Development. cipd.org, published July 2021

Bupa health trusts are not regulated by the Financial Conduct Authority or the Prudential Regulation Authority.

Bupa health trusts are administered by Bupa Insurance Services Limited. Registered in England and Wales No. 3829851. Registered office: 1 Angel Court, London EC2R 7HJ.

Bupa health insurance is provided by Bupa Insurance Limited. Registered in England and Wales No. 3956433. Bupa Insurance Limited is authorised by the Prudential Regulation Authority and regulated by the Financial Conduct Authority and the Prudential Regulation Authority. Arranged and administered by: Bupa Insurance Services Limited, which is authorised and regulated by the Financial Conduct Authority. Registered in England and Wales No. 3829851. Registered office: 1 Angel Court, London EC2R 7HJ.

© Bupa 2023

**[bupa.co.uk/workplace-wellbeing](https://bupa.co.uk/workplace-wellbeing)**